

Antioxidant Activity of Selected Phenolic Acids – Ferric Reducing Antioxidant Power Assay and QSAR Analysis of the Structural Features

Maciej Spiegel ¹, Karina Kapusta ^{2,*}, Wojciech Kołodziejczyk ², Julia Saloni ², Beata Żbikowska ¹, Glake A. Hill ² and Zbigniew Sroka ¹

¹ Department of Pharmacognosy, Wrocław Medical University, Borowska 211, 50-556 Wrocław, Poland

² Interdisciplinary Center for Nanotoxicity, Department of Chemistry, Physics and Atmospheric Sciences, Jackson State University, 1400 J. R. Lynch str., Jackson, MS, USA, 39217

* Correspondence: karina.kapusta@icnanotox.org (K.K.)

Table S1. HSD Tukey test results for the more active compounds (1-11).

#	1	2	3	4	5	6	7	8	9	10	11
1		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
2	0.000178		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
3	0.000178	0.000178		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
4	0.000178	0.000178	0.000178		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
5	0.000178	0.000178	0.000178	0.000178		0.005879	0.000178	0.000178	0.000178	0.000178	0.000178
6	0.000178	0.000178	0.000178	0.000178	0.005879		0.000246	0.000178	0.000178	0.000178	0.000178
7	0.000178	0.000178	0.000178	0.000178	0.000178	0.000246		0.000181	0.000178	0.000178	0.000178
8	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000181		0.437086	0.000178	0.000178
9	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.437086		0.000178	0.000178
10	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178		0.488280
11	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.488280	

Table S2. HSD Tukey test results for the less active compounds (12-22).

#	12	13	14	15	16	17	18	19	20	21	22
12		0.000181	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
13	0.000181		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
14	0.000178	0.000178		0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
15	0.000178	0.000178	0.000178		0.000607	0.000178	0.000178	0.000178	0.000178	0.000178	0.000178
16	0.000178	0.000178	0.000178	0.000607		0.000357	0.000178	0.000178	0.000178	0.000178	0.000178
17	0.000178	0.000178	0.000178	0.000178	0.000357		0.006340	0.002434	0.002359	0.000286	0.000179
18	0.000178	0.000178	0.000178	0.000178	0.000178	0.006340		1.000000	1.000000	0.974122	0.300822
19	0.000178	0.000178	0.000178	0.000178	0.000178	0.002434	1.000000		1.000000	0.997610	0.498697
20	0.000178	0.000178	0.000178	0.000178	0.000178	0.002359	1.000000	1.000000		0.997836	0.505833
21	0.000178	0.000178	0.000178	0.000178	0.000178	0.000286	0.974122	0.997610	0.997836		0.960114
22	0.000178	0.000178	0.000178	0.000178	0.000178	0.000179	0.300822	0.498697	0.505833	0.960114	




Figure S1. Visualization of HSD Tukey test results for the more active compounds (1-11).




Figure S2. Visualization of HSD Tukey test results for the less active compounds (12-22).

