

Supplementary Materials

Phosphine Sulfide Based Bipolar Host Materials for Blue Phosphorescent Organic Light-Emitting Diodes

Gaozhan Xie¹, Jiangchao Wang¹, Yang Cao¹, Xudong Xue¹, Xiao Zhang¹, Chang Liu¹, Huanhuan Li^{1,*}, Ye Tao^{1,*}, and Runfeng Chen¹

¹State Key Laboratory of Organic Electronics and Information Displays & Institute of Advanced Materials (IAM), Jiangsu National Synergistic Innovation Center for Advanced Materials (SICAM), Nanjing University of Posts & Telecommunications, 9 Wenyuan Road, Nanjing 210023, China

*Correspondence: iamhhli@njupt.edu.cn and iamytao@njupt.edu.cn

Contents

1. NMR Spectra.....	S2
2. Mass Spectra	S5
3. Phosphorescence Spectra	S6
4. Absorption and Photoluminescence Spectra.....	S6

1. NMR Spectra





Figure S2. ^{13}C NMR spectrum of CzPhPS in CDCl_3 .




Figure S3. ^1H NMR spectrum of DCzPhPS in CDCl_3 .




Figure S4. ^{13}C NMR spectrum of DCzPhPS in CDCl_3 .




Figure S5. ^1H NMR spectrum of TCzPhPS in CDCl_3 .




Figure S6. ^{13}C NMR spectrum of TCzPhPS in CDCl_3 .

2. Mass Spectra




Figure S7. HRMS spectrum of CzPhPS.




Figure S8. HRMS spectrum of DCzPhPS.




Figure S9. HRMS spectrum of TCzPhPS.

3. Phosphorescence Spectra




Figure S10. Phosphorescence spectra of (a) CzPhPS, (b) DCzPhPS, and (c) TCzPhPS measured at 77 K in THF with a delay time of 20 ms.

4. Absorption and Photoluminescence Spectra




Figure S11. Absorption and PL spectra of CzPhPS, DCzPhPS, and TCzPhPS in dichloromethane solution.