

Correction



Correction: An, F., et al. A Conjugate of Pentamethine Cyanine and ¹⁸F as a Positron Emission Tomography/Near-Infrared Fluorescence Probe for Multimodality Tumor Imaging. *Int. J. Mol. Sci.* 2017, 18, 1214

Fei-Fei An¹, Harikrishna Kommidi¹, Nandi Chen^{1,2} and Richard Ting^{1,*}

- ¹ Molecular Imaging Innovations Institute (MI3), Department of Radiology, Weill Cornell Medical College, 413 East 69th Street, New York, NY 10065, USA
- ² State Key Laboratory of Chemo/Biosensing and Chemometrics, College of Chemistry and Chemical Engineering, Key Laboratory for Bio-Nanotechnology and Molecular Engineering of Hunan Province, Hunan University, Changsha 410082, China
- * Correspondence: rct2001@med.cornell.edu; Tel.: +64-696-261-95; Fax: +64-696-205-77

Received: 16 July 2019; Accepted: 16 July 2019; Published: 22 July 2019



The authors wish to make the following corrections to this paper [1]: The authors regret the incorrect appearance of Figure 9. The figure caption and manuscript discussion of Figure 9 in the original publication are correct. Unfortunately, Figure 9 appears incorrectly. The semi-quantitative calculation of ex vivo cyanine fluorescence biodistribution (Figure 9b below) was missing. The mistake was generated during final editing following peer-review. The mistake did not affect the review process. Our correction does not change the conclusions of this manuscript.

The corrected Figure 9 is shown below (Figure 1).



Figure 1. (a) Overlay of ex vivo fluorescence imaging and bright field image of the collected organs. (b) The semi-quantitative biodistribution by fluorescence imaging 6 h after intravenously injecting the Cy5-BF₃ (¹⁸F). 1—Heart, 2—Liver, 3—Spleen, 4—Lung, 5—Kidney, 6—Stomach, 7—Intestine, 8—Bone, 9—Muscle, 10—Tumor, 11—Brain, and 12—1 × PBS.

The authors would like to apologize for any inconvenience caused to the readers by these changes.

Conflicts of Interest: The authors declare no conflict of interest.

Reference

 An, F.-F.; Kommidi, H.; Chen, N.; Ting, R. A Conjugate of Pentamethine Cyanine and ¹⁸F as a Positron Emission Tomography/Near-Infrared Fluorescence Probe for Multimodality Tumor Imaging. *Int. J. Mol. Sci.* 2017, *18*, 1214. [CrossRef] [PubMed]



© 2019 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).