

Climate Change Facilitates the Potentially Suitable Habitats of the Invasive Crop Insect *Ectomyelois ceratoniae* (Zeller)

Changqing Liu, Ming Yang, Ming Li, Zhenan Jin, Nianwan Yang, Hao Yu and Wanxue Liu




Figure S1. Correlation analysis of environmental factors.




Figure S2. Graph of the results of the Jackknife method.

Table S1. Bioclimatic variables are related to the distribution of *Ectomyeloides ceratoniae*.

Variable	Description	Unit
bio1	Annual mean temperature	°C
bio2	Mean diurnal temperature range	°C
bio3	Isothermality (Bio2/Bio7) ×100	-
bio4	Temperature seasonality (standard deviation×100)	°C
bio5	Max temperature of warmest month	°C
bio6	Min temperature of coldest month	°C
bio7	Temperature annual range	°C
bio8	Mean temperature of wettest quarter	°C
bio9	Mean temperature of driest quarter	°C
bio10	Mean temperature of warmest quarter	°C
bio11	Mean temperature of coldest quarter	°C
bio12	Annual precipitation	mm
bio13	Precipitation of wettest month	mm
bio14	Precipitation of driest month	mm
bio15	Precipitation seasonality (coefficient of variation×1	-
bio16	Precipitation of wettest quarter	mm
bio17	Precipitation of driest quarter	mm
bio18	Precipitation of warmest quarter	mm
bio19	Precipitation of coldest quarter	mm